



Enterphone™ 19

HD 19-Inch Touch Screen Telephone Entry System



Our flagship touch screen system features a 19-inch HD Touch Screen.

The Enterphone design maximizes the user interface experience while enabling a number of configurable options such as Access Control, language, touchscreen display, and screensaver options.

Enterphone 19 is ideal for apartment buildings, condominiums or stratas, multi-use commercial and residential, office buildings, and gated communities. It can be flush or surface mounted, enabling installation options to meet the aesthetic requirements of the customer's environment.

Top benefits of Enterphone 19 include:

- Browser administration allows for easy access from any PC on the LAN, or via any securely authenticated device

- Supports up to two access control card readers with the purchase of the Primis Encryption Bridge
- Expands up to 16 readers with purchase of the Enterphone Cube
- Networked device allows for standard IP security policies to be applied including AES 256 and TLS 1.2 encryption
- Stainless steel construction
- Supports up to 4 languages
- Full color HD screen allows for fully customizable screensavers
- Camera support offers greater building security, allowing visitors and admin to view snapshots of log events
- Supports both residential directories as well as business dropdown categories

Advanced, Integrated, Secure

- Browser access for remote programming and management, vibrant HD touch screen, multi-language and personalized display for style, brand, or advertising
- Integrates with other Enterphone products and Primis Access Control, enabling a single door to unlimited card reader door support with elevator control and multiple telephone entry points
- Network connectivity with AES 256 and TLS 1.2 encryption
- Residential or business listing format with drop-down menus and unlimited names, card users, cards, schedules, and groups; integrated touch screen or keypad; auto redial to alternate number
- Linux OS

Optional

- Expands up to 16 readers with an Enterphone Cube and up to two access control card readers with Primis Encryption Bridge
- Camera support with image capture based on dial
- Stainless steel backbox, postal lock, trim ring, weather hood, heater, and flush mount kit for in-wall configurations

Enterphone 19 Specifications

Parameter	Enterphone 19
Dimensions	20.870 x 16.470 x 2.50 in
Mounting	Surface or flush mount
Name Capacity	Unlimited
Operating Conditions	0° to 49° C (32° to 120° F)
Options	Camera, Postal lock, Card access, Third-party database integration
Screen Size	19 in HD Touch Screen
Power Requirements	12VDC 5A
Weight	27.5 lbs
Part Number	FR-50-21-125-AD2M
Certifications	FCC Part 15, FCC Part 68 and UL 62368-1 ED3

Enterphone Family of Products



Enterphone iQ
FR-50-21-50-AD2M



Enterphone 19
FR-50-21-125-AD2M



Enterphone Kiosk
FR-50-25-13-AD2M



Enterphone Cube
PN: FR-50-24-MS2



Primis Two Door Encryption Bridge
PN: FR-50-24-2



Primis Relay Encryption Bridge - Elevator Control
PN: FR-50-24-E

