



Enterphone™ iQ

HD 19-Inch Touch Screen Telephone Entry System



The rugged, mid-sized, economical telephone entry system features a keypad-driven 10-inch HD screen.

The iQ is designed for locations with limited space while enabling all the standard and optional features of other Enterphone systems.

Enterphone iQ is ideal for apartment buildings, condominiums or stratas, multi-use commercial and residential, office buildings, and gated communities. It can be flush or surface-mounted, enabling installation options to meet the aesthetic requirements of the customer's environment.

iQ features web-browser access for remote programming and management, multi-language options, and personalized display for style, brand, or advertising.

Optional

- Expands up to 16 readers with an Enterphone Cube
- Supports up to two access control card readers with the purchase of a Primis Encryption Bridge
- Stainless steel backbox
- Hardware options include trim ring, weather hood and heater
- Flush mount kit for in-wall configurations
- Supports up to 4 languages
- Included USB Camera offers greater building security, allowing visitors and admin to view snapshots of log events (both placed calls and door release events)

Features

- 10-inch full-color HD screen
- Enterphone Mobile Ready
- Residential or business listing formats with drop-down menus
- Unlimited names, card users, cards, schedules, and groups
- Dial via physical keypad
- Auto redial to alternate number
- Unlimited administrative users
- Full access, read-only, and no access administrative permissions
- Exportable log event history with filters for auditing and sharing
- Simple integration with third-party access control systems

More Benefits

- Integrates with additional Enterphone products
- Upgradeable to Primis, enabling single door to unlimited card reader door and elevator support
- TLS 1.2 encryption and rugged metal enclosure

Enterphone iQ Specifications

Parameter	Enterphone iQ
Dimensions	16.5 x 12.5 x 1.37 in
Mounting	Surface or flush mount
Name Capacity	Unlimited
Operating Conditions	0° to 49° C (32° to 120° F)
Options	Heater, Card access, Mounting kits, Weather hood, Third-party database integration
Screen Size	10 in HD screen
Power Requirements	12VDC 5A
Weight	15 lbs
Part Number	FR-50-21-50-AD2M
Certifications	FCC Part 15, FCC Part 68 and UL 62368-1 ED3

Enterphone Family of Products



Enterphone iQ
FR-50-21-50-AD2M



Enterphone 19
FR-50-21-125-AD2M



Enterphone Kiosk
FR-50-25-13-AD2M



Enterphone Cube
PN: FR-50-24-MS2




Enterphone Encryption Bridge
PN: FR-50-24-2




Enterphone Relay Encryption Bridge
PN: FR-50-24-E

Encryption Bridge



Access Control Doors



Tenant Database



Browser User Interface



Enterphone Cube



Managed Network

Enterphone 19



Enterphone IQ



Enterphone Kiosk

